




HEALTHCARE TAPWARE

Single hole washbasin mixer tap with fixed cast spout and drainage - 75612



Benefits of the product

- Perfectly adapted to all bathrooms.
- Openwork control: easier to grip.
- Multifunctional cartridge: temperature limit stop with 7 adjustment positions, double flow (hard point at 50% opening).
- Flow between 4 and 6L / min at 3 bar - in accordance with the French norm standard "Medical"; possible flow modification, in case of disassembly of the limiters, by adjusting screw between 4 and 20L / min.
- Water savings, safety of use and controlled water consumption.

Description

Single-hole deck-mounted washbasin mixer tap with NF plastic drainage with open-work control. Fixed cast spout Len 119mm. Spout height 53.5mm. Ø 40 multi-function ceramic cartridge: 7-setting temperature limit stop, dual flow (hard point at 50% opening). Flow between 4 and 6L / min at 3 bar - in accordance with the NF standard "medical environment"; possible flow modification, in case of disassembly of the limiters, by adjusting screw between 4 and 20L / min. Body, spout and control component in polished chrome-plated brass. Hoses with SPEX sheath braided stainless steel M12X1, EP G'3/8, Len 370mm. Basket filter seals mounted on the hoses limiting fouling. Fixture strengthened using an M8 rod. 10 year guarantee. Sanifirst brand type single hole washbasin mixer tap fixed with cast spout REF: 75612 or approved equivalent.



TECHNICAL DATASHEET

Additional Information

Product reference	75612
Previous reference	NC
Brand	Sanifirst
Warranty	10 years against manufacturing defects
Special feature 1	Fixed spout
Height to nozzle (mm)	53
Projection (mm)	119
Clip-on spout	No
Drainage	Brass drainage
Flow straightener	Star-shaped flow straightener M24X1
Lever	Openwork lever
Connection	SPEX hoses 350 mm - M12 X 1 - LN G'3 / 8 with basket filter seals and flow rate limiters
Minimum pressure	1 bar
Recommended pressure	3 bar
Maximum pressure	5 bar